



Architectural Aluminum Channel - 6063-T5 x 20'

Stock Code	Size in Inches (E x M x S)	Approx. Wt/Lin ft.
MILL ORDER <u>52-63-4193</u>	1/2 x 3/8 x 1/8	0.150
13-63-200	1/2 x 1/2 x .093	0.148
13-63-205	1/2 x 3/4 x 1/8	0.263
MILL ORDER <u>13-63-608 (TX)</u>	3/4 x 3/8 x 1/8	0.187
13-63-209	3/4 x 1/2 x 1/8	0.226
13-63-211	3/4 x 3/4 x 1/8	0.300
13-63-215	1 x 1/2 x 1/8	0.263
13-63-220	1 x 1 x 1/8	0.431
13-63-225	1-1/4 x 1/2 x 1/8	0.300
13-63-226	1-1/4 x 3/4 x 1/8	0.376
MILL ORDER <u>13-63-228 (NC)</u>	1-1/4 x 1 x 1/8	0.431
<u>13-63-229</u>	1-1/4 x 1-1/4 x .100 x 19' 3-1/8"	0.425
13-63-230	1-1/4 x 1-1/4 x 1/8	0.526
13-63-235	1-1/2 x 1/2 x 1/8	0.337
13-63-236	1-1/2 x 3/4 x 1/8	0.413
13-63-255	1-1/2 x 1 x 1/8	0.487
<u>13-63-256</u>	1-1/2 x 1 x 1/8 x 24'	0.487
13-63-237	1-1/2 x 1-1/2 x 1/8	0.637
13-63-250	1-3/4 x 3/4 x 1/8	0.450
13-63-306	1-3/4 x 1 x 1/8	0.524
<u>13-63-307</u>	1-3/4 x 1-3/4 x .093 x 24'	0.565
<u>13-63-261</u>	2 x 7/16 x .093 x 25' 2"	0.294
13-63-260	2 x 1/2 x 1/8	0.413
13-63-262	2 x 3/4 x .125/.093 x 23' 10"	0.440
13-63-265	2 x 1 x 1/8	0.563
<u>13-63-274</u>	2 x 1 x 1/8 x 24'	0.563
13-63-272	2 x 2 x 1/8	0.861
13-63-270	2-1/4 x 7/8 x 1/8	0.563
<u>52-61-3798</u>	2-1/2 x 1-1/2 x 1/8 x 25'	0.787
MILL ORDER <u>13-63-280</u>	3 x 1/2 x 1/8	0.563
13-63-285	3 x 1 x 1/8	0.713
13-61-517	3 x 2-1/4 x 1/4 x 25' (6061-T6)	2.100
<u>13-61-518</u>	3-1/2 x 2-1/4 x 1/4 x 25' (6061-T6)	2.249
13-63-273	4 x 1 x .105 leg/.080 web (w/radius)	0.613
<u>30-63-140</u>	10 x 1-1/4 x .188 x 24'	2.726



Ladder Rung Channel

40-05-100	2 x 1 Ladder Rung	0.622
MILL ORDER <u>40-05-105K</u>	2 x 1 Ladder Rung (Knurled)	0.622
25-BD-226	3" Knurled Ladder Rung x 12' (Accepts #10 Screw)	0.881
DVLDR	Black Dive Ladder End Caps	




Ladder Rung




3" Knurled Ladder Rung

J Molding Channel - 6063 T6 Mill Finish

<u>52-63-12993</u>	5/16" J Molding Channel x 8'	0.080
MILL ORDER <u>52-63-12994</u>	7/8" J Molding Channel x 8'	0.160



5/16" J Molding Channel



7/8" J Molding Channel

Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.

Standards 11



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum













Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL

website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 12/30/16

Railing Channel

<p>1.5 x 1 (.093/.056) Railing Channel x 25' 13-63-300 wt/ft: 0.332 6063-T5 Receives .750 picket; Mates with 13-63-305</p>  <p>Accepts Casting: Wall Mount HR-12A #68: 21-00-183</p>	<p>1.75 x .75 (.093/.062) Railing Channel x 24' 13-63-264 wt/ft: 0.330 6063-T5 Receives .750 picket;</p> 	<p>2 x 1 (.093/.056) Railing Channel x 25' 13-63-266 wt/ft: 0.395 6063-T5 Receives .750 picket; Mates with 13-63-227</p> 	<p>2 x 1 (.090/.056) Railing Channel x 25' 13-63-267 wt/ft: 0.395 6063-T5 Receives 1" picket; Mates with 13-63-227</p>  <p>Accepts Casting: Wall Mount #15: 21-00-190</p>
<p>1.5" Railing Channel Cover Plate x 20' 13-63-305 wt/ft: 0.146 6063-T5 Mates with 13-63-300</p> 	<p>2" Railing Channel Cover Plate x 16' 13-63-227 wt/ft: 0.175 6063-T5 Mates with 13-63-266 & 13-63-267</p> 	<p>2 x 7/16 x .093 Railing Channel x 25' 2" 13-63-261 wt/ft: 0.294 6063-T5 No Legs</p> 	<p>2 x .75 (.125/.093) Railing Channel x 23' 10" 13-63-262 wt/ft: 0.440 6063-T5 No Legs</p> 
<p>2 x 1 x .125 Channel 13-63-265 x 20' 13-63-274 x 24' wt/ft: 0.563 6063-T5</p> 	<p>2 x 1 Mid Rail Tube x 24' 52-63-11317 wt/ft: 0.858 6063-T52</p>  <p>Accepts Casting: Wall Mount #15: 21-00-190</p>	<p>2.252 x 1.280 Outside Sleeve x 12' 52-63-4808 wt/ft: 0.562 6063-T6 Sleeves 2 x 1 Channel and Rectangular Tube</p> 	<p>2 x 2 x .125 Channel x 20' 13-63-272 wt/ft: 0.861 6063-T5</p> 


Pre-Punched Railing Channel

Mill Finish 6063-T5 Arch Aluminum Channel - Spacing is inside edge to inside edge


Stock Code	Size in Inches	Picket	between Holes
13-63-265P	2 x 1 x .125 x 20'	3/4"	3.75"
13-63-266P*	2 x 1 x .093/.056 x 25'	3/4"	3.75"
13-63-274PP	2 x 1 x .125 x 24'	1"	3.75"
13-63-267P*	2 x 1 x .090/.056 x 25'	1"	3.75"
13-63-267PS*	2 x 1 x .093/.056 x 25'	1"	3.25"

*with welding legs

Custom sizes and hole locations available as **SPECIAL ORDER**




Spacing is inside edge to inside edge



Picket Spears

19-63-105PS1	3/4 x .062 x 58"
19-63-105PS2	3/4 x .062 x 70"
19-63-130PS1	1 x .060 x 58"
19-63-130PS2	1 x .062 x 70"

3/4" & 1" Spears



Mill Order Items:
Not in Stock - Custom Sizes & Lengths Available
Minimum Order Required

Standards 12



Eastern Metal Supply
Quality Shapes In Aluminum

EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL


website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 07/29/16

Structural Aluminum Channel (Aluminum Association) - 6061-T6 x 25'

<u>Stock Code</u>	<u>Size in Inches (E x M x S / W)</u>	<u>Approx. Wt/Lin ft.</u>
13-61-500	2 x 1 x .130 / .130	0.577
13-61-503	2 x 1.25 x .260 / .170 (20')	1.071
13-61-510	3 x 1.50 x .200 / .130	1.135
13-61-515	3 x 1.75 x .260 / .170	1.597
13-61-520	4 x 2 x .230 / .150	1.738
13-61-525	4 x 2.25 x .290 / .190	2.331
<u>52-61-3728</u>	5 x 2.25 x .260 / .150 (x 12' 9")	2.212
<u>52-61-440</u>	5 x 2.25 x .260 / .150 (20')	2.212
13-61-530	5 x 2.25 x .260 / .150	2.212
13-61-535	5 x 2.75 x .320 / .190	3.089
13-61-540	6 x 2.50 x .290 / .170	2.834
<u>52-61-3427</u>	6 x 2.50 x .290 / .170 (x 12' 6")	2.834
<u>13-61-541</u>	6 x 2.50 x .290 / .170 (14' 6")	2.834
<u>52-61-3729</u>	6 x 2.50 x .290 / .170 (x 12' 9")	2.834
13-61-545	6 x 3.25 x .350 / .210	4.030
13-61-575	7 x 2.75 x .290 / .170	3.205
<u>52-61-1450</u>	7 x 2.75 x .290 / .170 (15' 6")	3.205
<u>52-61-0017</u>	7 x 2.75 x .290 / .170 (x 17')	3.205
52-61-593	7 x 3.50 x .380 / .210	4.715
13-61-560	8 x 3 x .350 / .190	4.147
<u>52-61-4329</u>	8 x 3 x .350 / .190 (40')	4.147
<u>52-61-1707</u>	8 x 3.75 x .410 / .250 (x 14' 9")	5.787
<u>13-61-561</u>	8 x 3.75 x .410 / .250 (15')	5.787
<u>52-61-1503</u>	8 x 3.75 x .410 / .250 (x 16' 9")	5.787
<u>13-61-563</u>	8 x 3.75 x .410 / .250	5.787
13-61-562	8 x 3.75 x .410 / .250 (32')	5.787
<u>13-61-564</u>	8 x 3-3/4 x .410 / .250 (40')	5.787
MILL ORDER <i>13-61-585 (NC)</i>	9 x 3.25 x .350 / .230	4.983
MILL ORDER <i>13-61-590 (NC)</i>	9 x 4 x .440 / .240	6.970
13-61-570 (TX)	10 x 3.5 x .410 / .250 (25')	6.136
<u>13-61-571</u>	10 x 3.5 x .410 / .250 (40')	6.136
<u>13-61-572</u>	10 x 3.5 x .410 / .250 (45')	6.136
MILL ORDER <u>52-61-2272</u>	10 x 4-1/4 x .500 / .310	8.360
<u>13-61-580</u>	12 x 4 x .470 / .290 x 50'	8.274
MILL ORDER <u>51-61-107</u>	12 x 5 x .620 / .350	11.822



*Items marked as MILL ORDER are non stock but available.
Product codes listed on MILL ORDER items are for die reference only.
Customer must specify length, alloy & temper.*

Standards 13



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL

website: www.EasternMetal.com


e-mail: info@EasternMetal.com

version: 08/29/16

Structural Aluminum Channel

6061-T6 x 25' American Standard

<u>Stock Code</u>	<u>Size in Inches (E x M x S)</u>	<u>Approx. Wt/Lin ft.</u>
13-61-200	3 x 1.41 x .170	1.417
13-61-205	3 x 1.498 x .258	1.729
13-61-210	3 x 1.596 x .356	2.074
13-61-215	4 x 1.58 x .180	1.846
13-61-220 (TX)	4 x 1.647 x .247	2.161
13-61-216	4 x 1.72 x .320	2.504
13-61-230	5 x 1.75 x .190	2.316
<u>52-61-429</u>	5 x 1.75 x .190 (x 12' 9")	2.316
13-61-235	5 x 1.885 x .325	3.108
MILL ORDER <u>52-61-802</u>	5 x 2.032 x .472	3.975
13-61-245	6 x 1.920 x .200	2.826
MILL ORDER <u>13-61-250 (NC)</u>	6 x 1.945 x .225	3.002
52-61-1080	6 x 2.034 x .314	3.631
<u>52-61-419</u>	6 x 2.157 x .437	4.498
MILL ORDER <u>13-61-265 (NC)</u>	7 x 2.110 x .230	3.541
MILL ORDER <u>52-61-4138</u>	7 x 2.194 x .314	4.232
13-61-275	8 x 2.29 x .250	4.252
MILL ORDER <u>13-61-280 (NC)</u>	8 x 2.343 x .303	4.951
MILL ORDER <u>13-61-285 (NC)</u>	8 x 2.435 x .395	5.617
13-61-290	8 x 2.527 x .487	6.484
MILL ORDER	9 x 2.43 x .230	4.604
MILL ORDER <u>13-61-668 (NC)</u>	9 x 2.648 x .448	6.911
13-61-310	10 x 2.6 x .240	5.278
MILL ORDER <u>52-61-561</u>	10 x 2.739 x .379	6.915
13-61-320	10 x 2.886 x .526	8.641
13-61-325	12 x 2.960 x .300	7.415
52-61-455	12 x 3.047 x .387	8.644
MILL ORDER <u>52-61-420</u>	12 x 3.17 x .510	10.374
MILL ORDER <u>52-61-025</u>	15 x 3.40 x .400	11.708



Items marked as MILL ORDER are non stock but available.
 Product codes listed on MILL ORDER items are for die reference only.
 Customer must specify length, alloy & temper.

Standards 14



Eastern Metal Supply
 Quality Shapes In Aluminum

EMS FL

1-800-432-2204
 (561) 588-4780 - fax

EMS NC

1-800-343-8154
 (704) 391-2267 - fax

EMS TX

1-800-996-6061
 (281) 656-2297 - fax

EMS MO

1-888-822-6061
 (314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL

website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 03/10/17