






CENTERLINE GLASS RAILING - NEW!


2.5" Post System


Mechanical/Welded Combo
Accepts 7/16" and 9/16" Glass
Tested and Engineered System





<p>2.5" Glass Rail Post x 24' 28-60-735 6005A-T61 Mates with 28-60-740; Fits the 2.5" Post System</p>  <p>2.500</p>	<p>2.5" Glass Rail Post Insert x 24' 28-60-740 6005A-T61 Fits the 2.5" Post System Mates with 28-60-735</p>  <p>2.190 1.690</p>
---	--


<p>2.5" Glass Rail Corner Post x 24' 28-60-730 6005A-T61 Fit the 2.5" Post System</p>  <p>2.500</p>	<p>2.5" x 4.9" Glass Rail 135° Post x 24' 28-60-770 6005A-T61 Fits the 2.5" Post System</p>  <p>4.906 3.322 2.500</p>
--	---


<p>Alternate Radius Glass Rail Top Cap x 24' 28-63-710 6063-T6 Fits the 2.5" Post System</p>  <p>3.500 2.500 2.571</p>
--

<p>Round Glass Rail Top Cap x 24' 28-63-700 6063-T6 Fits the 2.5" Post System</p>  <p>3.500 2.625 0.875 2.540</p>
--

<p>Glass Rail Round Inner Sleeve x 10' 52-63-8915 Fits the 2.5" Post System Mates with 28-63-700</p>  <p>3.160 2.287</p>
--

<p>2" Glass Rail Bottom Channel x 24' 6063-T6 28-63-715 Fits the 2.5" & 3.5" Post Systems; Welded & Mechanical applications; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222 Mates with 52-63-11327</p>  <p>2.000 2.250 1.786</p>
--

<p>Cover Plate for Bottom Channel x 16' 52-63-11327 6063-T6 Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-715</p>  <p>2.000</p>
--

<p>2.5" x 2" Glass Rail Intermediate Rail x 24' 28-63-720 6063-T6 Fits the 2.5" & 3.5" Post Systems</p>  <p>2.000 2.250 0.875</p>

Fence & Railing 10



Eastern Metal Supply
Quality Shapes In Aluminum

EMS FL
1-800-432-2204
(561) 588-4780 - fax

EMS NC
1-800-343-8154
(704) 391-2267 - fax

EMS TX
1-800-996-6061
(281) 656-2297 - fax

EMS MO
1-888-822-6061
(314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL


website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 03/10/17

CENTERLINE GLASS RAILING - NEW!

3.5" Post System
Mechanical/Welded Combo
Accepts 7/16" and 9/16" Glass
Tested and Engineered System



<p>3.5" x 2" Glass Rail Inline Post x 24' 28-60-760 6005A-T61 <i>Fits the 3.5" Post System; Mates with I-Bar Post Insert 28-60-745</i></p>	<p>2.5" Glass Rail Post Insert x 24' 28-60-745 6005A-T61 <i>Fits the 3.5" Post System; Mates with 28-60-760</i></p>		
<p>3.5" x 3.5" Glass Rail Corner Post x 24' 28-60-765 6005A-T61 <i>Fits the 3.5" Post System; Mates with 3" Sq Tube Post Insert 52-61-750</i></p>	<p>3.5" x 5.47" Glass Rail 135° Post x 24' 28-60-775 6005A-T61 <i>Fits the 3.5" Post System</i></p>		
<p>4.5" Round Glass Rail Top Cap x 24' 28-63-705 6063-T6 <i>Fits the 3.5" Post System</i></p>	<p>2" Glass Rail Bottom Channel x 24' 6063-T6 28-63-715 <i>Fits the 2.5" & 3.5" Post Systems; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222; Mates with 52-63-11327; Welded & Mechanical applications</i></p>	<p>Cover Plate for Bottom Channel x 16' 52-63-11327 6063-T6 <i>Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-715</i></p>	<p>2.5" x 2" Glass Rail Intermediate Rail x 24' 28-63-720 6063-T6 <i>Fits the 2.5" & 3.5" Post Systems</i></p>

Fence & Railing 11



Eastern Metal Supply

Quality Shapes In Aluminum

EMS FL

1-800-432-2204
 (561) 588-4780 - fax

EMS NC

1-800-343-8154
 (704) 391-2267 - fax

EMS TX

1-800-996-6061
 (281) 656-2297 - fax

EMS MO

1-888-822-6061
 (314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL


website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 03/10/17

60" ROOFTOP CENTERLINE GLASS RAILING - NEW!

3.5" Post System
Mechanical/Welded Combo
Accepts 7/16" and 9/16" Glass
Tested and Engineered System



**See engineering for post insert
concrete embedment depth*

<p>3.5" x 3.5" Glass Rail Corner Post x 24' 28-60-765 6005A-T61 <i>Fits the 3.5" Post System; Mates with 52-61-750</i></p>	<p>3" Square Tube Post Insert x 18' 52-61-750 6005A-T61 <i>Fits the 3.5" Post System; Mates with 28-60-765</i></p>
--	--

<p>4.5" Round Glass Rail Top Cap x 24' 28-63-705 6063-T6 <i>Fits the 3.5" Post System</i></p>	<p>2" Glass Rail Bottom Channel x 24' 6005A-T61 28-60-715 <i>Fits the 2.5" & 3.5" Post Systems; Accepts 1 x 1 x 1/8 Angle 11-COLOR-222; Mates with 52-63-11327 Mechanical Application Only for 60" System</i></p>	<p>Cover Plate for Bottom Channel x 16' 52-63-11327 6063-T6 <i>Fits the 2.5" & 3.5" Post Systems; Mates with 28-63-715</i></p>
---	--	--

*Engineering
available by request*

Fence & Railing 12



Eastern Metal Supply
 Quality Shapes In Aluminum

EMS FL
 1-800-432-2204
 (561) 588-4780 - fax

EMS NC
 1-800-343-8154
 (704) 391-2267 - fax


EMS TX
 1-800-996-6061
 (281) 656-2297 - fax

EMS MO
 1-888-822-6061
 (314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL
website: www.EasternMetal.com **e-mail:** info@EasternMetal.com **version:** 03/10/17

OFFSET GLASS RAILING - NEW!

2.5" Post System
Mechanical/Welded Combo
Accepts 7/16" and 9/16" Glass
Tested and Engineered System



<p>2.5" Glass Rail Post x 24' 28-60-735 6005A-T61 <i>Mates with 28-60-740</i> <i>Fits the 2.5" Post System</i></p>	<p>2.5" Glass Rail Post Insert x 24' 28-60-740 6005A-T61 <i>Fits the 2.5" Post System</i> <i>Mates with 28-60-735</i></p>		
<p>2.5" Glass Rail Corner Post x 24' 28-60-730 6005A-T61 <i>Fits the 2.5" Post System</i></p>	<p>2.5" x 4.9" Glass Rail 135° Post x 24' 28-60-770 6005A-T61 <i>Fits the 2.5" Post System</i></p>		
<p>5" Radius Offset Glass Rail Top Cap x 24' 28-63-760 6063-T6 <i>Fits the 2.5" Post System</i></p>	<p>Cover Plate for Offset Bottom Channel x 24' 28-63-755 (Mechanical) 6063-T6 <i>Fits the 2.5" & 3.5" Post Systems</i> <i>Mates with 28-63-725</i></p>	<p>2" Glass Rail Offset Bottom Channel x 24' 28-63-725 (Mechanical) 6063-T6 <i>Fits the 2.5" & 3.5" Post Systems</i> <i>Mates with 28-63-755</i></p>	<p>2" Glass Rail Offset Bottom Channel x 24' 28-63-771 (Welded) 6063-T6 <i>Fits the 2.5" & 3.5" Post Systems</i></p>

Engineering available by request

Fence & Railing 13



Eastern Metal Supply

Quality Shapes In Aluminum

EMS FL

1-800-432-2204
 (561) 588-4780 - fax

EMS NC

1-800-343-8154
 (704) 391-2267 - fax

EMS TX

1-800-996-6061
 (281) 656-2297 - fax

EMS MO

1-888-822-6061
 (314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL


website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 03/10/17

OFFSET GLASS RAILING - NEW!


3.5" Post System
Mechanical/Welded Combo
Accepts 7/16" and 9/16" Glass
Tested and Engineered System



**3.5" x 2" Glass Rail
Inline Post x 24'**

28-60-760 6005A-T61


*Fits the 3.5" Post System;
Mates with
I-Bar Post
Insert
28-60-745*



**3.5" Glass Rail Post
Insert x 24'**

28-60-745 6005A-T61


*Fits the 3.5" Post System; Mates
with 28-60-760*



**3.5" x 3.5" Glass Rail
Corner Post x 24'**

28-60-765 6005A-T61


*Fits the 3.5" Post System; Mates with
3" Sq Tube Post Insert 52-61-750*



**3.5" x 5.47" Glass Rail
135° Post x 24'**

28-60-775 6005A-T61

Fits the 3.5" Post System;



Offset Bottom Rail
28-63-725
Mechanically
Fastened with
Cover Plate
28-63-755

3.5" Post
Standard (shown) 28-60-760


Corner Option 28-60-765
(for perpendicular attachment)

Engineering available by request

**6" Radius Offset Glass
Rail Top Cap x 24'**

28-63-750 6063-T6


Fits the 3.5" Post System



**Cover Plate for Offset
Bottom Channel x 24'**

28-63-755 (Mechanical) 6063-T6


*Fits the 2.5" & 3.5" Post Systems
Mates with 28-63-725*



**2" Glass Rail Offset
Bottom Channel x 24'**

28-63-725 (Mechanical) 6063-T6


*Fits the 2.5" & 3.5" Post Systems
Mates with 28-63-755*



**2" Glass Rail Offset
Bottom Channel x 24'**

28-63-771 (Welded) 6063-T6

Fits the 2.5" & 3.5" Post Systems



Fence & Railing 14



Eastern Metal Supply
Quality Shapes In Aluminum

EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL

website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 03/10/17


GLASS RAILING - NEW!






Accepts 7/16" and 9/16" Glass • Tested and Engineered System

LAMINATED GLASS (sized by order) - Now available from Eastern Metal Supply!

7/16" Laminated Glass with vertical polished edge • 0.035 SGP between 3/16" Tempered Glass • Design Pressure = +/-130

9/16" Laminated Glass with vertical polished edge • 0.035 SGP between 1/4" Tempered Glass • Design Pressure = +/-190



<p>Preset Exterior Sponge - 250' rolls WW-B090 (sponge) .125 face clearance, .250 centerline 9/16" Glass</p> 	<p>Preset Exterior Sponge - 250' rolls WW-B140 (sponge) Rubber Gasket .250 face clearance, .250 centerline 7/16" Glass</p> 	<p>Interior Wedge Gaskets - 250' rolls WW-W514 Rubber Gasket .187 face clearance, .062 nub Both Glass Types</p> 	<p>Centerline Setting Block BN02164 1/8 x 1 x 4</p> 	<p>Offset Setting Block BN04164 1/4 x 1 x 4</p> 
--	---	--	---	---

Fence & Railing 15



Eastern Metal Supply
Quality Shapes In Aluminum

EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax


Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL

website: www.EasternMetal.com


e-mail: info@EasternMetal.com

version: 06/01/17


3" Round Glass Cap
MILL ORDER 52-63-12183 - GR104
wall:0.125; with 1.500 deep glass pocket




3-1/2" Round Glass Cap X 24'
52-63-10740 - GR108
wall:0.125; with 1.750 deep glass pocket
Mates with GRS110




Glass Rail Inner Sleeve x 10' - RS110
52-63-8915 *wall:0.090*
Mates with GR108




4" Round Glass Cap
MILL ORDER 52-63-9402 - GR116
wall:0.125; with 1.250 deep glass pocket
Accepts 2" Post




4-1/2" Round Top Cap
MILL ORDER 52-63-11470 - GR118
wall:0.105; with 1.750 deep glass pocket
Mates with GR312 (3.5" Post)




3-1/2" x 2-1/2" Rect Glass Top Cap
MILL ORDER 52-63-11065 - GR122
wall:0.125; with 1.680 deep glass pocket
Accepts 2.5" Post




4-1/2" Offset Oval Glass Cap
MILL ORDER 52-63-13034 - GR300
wall:0.110; with 1.75 deep glass channel
Accepts 2" Post



6" x 2-1/4" Offset Oval Glass Rail Cap X 24' - GR302
52-63-13137 *wall:0.090*
with 2.00 deep glass channel;
Mates with GR312 (3.5" Post)



6-1/2" x 3-3/4" Offset Oval Glass Rail Cap - GR304
MILL ORDER 52-63-8500 *wall:0.150*
with 2.00 deep glass channel;
Mates with GR312 (3.5" Post)



Fence & Railing 16



Eastern Metal Supply
 Quality Shapes In Aluminum

EMS FL
 1-800-432-2204

(561) 588-4780 - fax

EMS NC
 1-800-343-8154

(704) 391-2267 - fax

EMS TX
 1-800-996-6061

(281) 656-2297 - fax

EMS MO
 1-888-822-6061

(314) 344-3349 - fax


Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL

website: www.EasternMetal.com


e-mail: info@EasternMetal.com

version: 03/10/17


2" x 1-1/2" Glass Bottom Channel X 24' - GRC202
52-63-10348 wall:0.090
 with 0.687 deep glass pocket
 mates with GRC214




2" x 1-1/2" Glass Bottom Channel X 24' - GRC204
52-63-10741 wall:0.090
 with 1" deep glass pocket; Can be used
 as a Mid Rail when inverted
 mates with GRC214




2" x 1-1/2" Mid Rail Glass Channel X 24' - GRC210
52-63-9940 wall:0.090
 with 1.250 deep glass pocket
 mates with GRC214




Cover Plate x 16' - GRC214
52-63-11327 wall:0.090
 mates with GRC202, GRC204, GRC210




2" x 1-5/8" Glass Bottom Channel
MILL ORDER 52-63-12101 - GRC206
 wall:0.125; with 0.875 deep glass pocket




2-1/4" x 2" Glass Channel
MILL ORDER 52-63-13991 - GRC213
 wall:0.125; with 1.500 deep glass pocket



3-1/2" x 2-1/2" Offset Bottom Channel
MILL ORDER 52-63-13138 - GR310
 wall:0.090; with 1.75 deep glass channel



2" x 1-5/8" Mid Rail Glass Channel
MILL ORDER 52-63-12798 - GRC212
 wall:0.125; with 1.500 deep glass pocket



Fence & Railing 17



EMS FL
 1-800-432-2204
 (561) 588-4780 - fax

EMS NC
 1-800-343-8154
 (704) 391-2267 - fax


EMS TX
 1-800-996-6061
 (281) 656-2297 - fax

EMS MO
 1-888-822-6061
 (314) 344-3349 - fax

Eastern Metal Supply Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL
 Quality Shapes In Aluminum [website: www.EasternMetal.com](http://www.EasternMetal.com) [e-mail: info@EasternMetal.com](mailto:info@EasternMetal.com) [version: 03/10/17](#)


3.325" x 4.75" Glass Shoe Base x 10'

28-63-077
with 3.980
deep glass
pocket




2.75" x 4.125" Glass Shoe Base x 20'

51-63-327
with 3.125
deep glass
pocket




2.50" x 4" Glass Shoe Base x 20'

51-63-325
with 3.125
deep glass
pocket




2.50" x 3.50" Glass Shoe Base

MILL ORDER 28-63-067 (NC)
with 2.938
deep glass
pocket




2.25" x 3" Glass Shoe Base

MILL ORDER 52-63-10157
wall:0.625 with 2.063 deep glass
pocket




2" x 1.25" Offset Glass Channel GR306

MILL ORDER with 1.75
deep glass channel




Glass Rail Post x 24'

20-61-270
2 x 2-1/2 x 1/8 Rect Tube 6061 T6



3.5" x 2" Heavy Duty Glass Rail Post

MILL ORDER 52-61-2056 - GR312
wall:0.094; Receives 3/8" x 3" flat bar;
Mates with GRC302 & GRC304




Glass Rail Post

Stock Code	Size in Inches
19-61-208	2 x .188 (6061-T6)
19-61-212	2 x .250 (6061-T6)
19-63-210	2 x .125
19-61-210	2 x .125 (6061-T6)
52-61-936	2 x .125 (6061-T6)
19-63-211	2 x .188
52-61-1128	2 x .188 w/rad (6061-T6)
28-60-735	2.50 x .125/.375 (6005A-T61)
28-60-730	2.50 x .375 (6005A-T61)
MILL ORDER	2.50 x .188 (52-61-3402)
28-60-760	3.50 x 2.00 x .125/.375 (6005A-T61)
28-60-765	3.50 x .125 (6005A-T61)


2" Square Post Stiffener x 12'

52-61-2163 for 2" x .125 Sq Tube



2" Square Post Stiffener x 12'


52-61-4452 for 2" x .188 Sq Tube



2.50" Square Post Stiffener

MILL ORDER 52-61-3403

for 2.5" x .375 Sq Tube



Fence & Railing 18



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply
Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL

website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 03/10/17