

Eastern Metal Supply

Decorative Bahama Shutters



Decorative Bahamas

- HV™ Low Profile
- Available in a variety of standard colors, widths and heights

Features & Benefits

Standard Items

- The quickest and most efficient assembly for manufacturing
- Decorative, architectural, provides sun control and energy efficiency
- Increase the LEED rating of your green project
- Top hinge • Telescoping arms & brackets

Optional Items

- High quality powder coated paint finish
- Low Profile frames available with variety of louvers/blades
- Louver styles: 1", 1.25", 2" or Z-blade (decorative/shade only)
- Heavy duty frames for impact resistance
- Welded frames & customized mullion configurations
- Tie downs & locking rods
- Samples Available for purchase
LP2BAH-SAMPLE 12" x 24" 2" Blade
LPZBAH-SAMPLE 12" x 24" Z-Blade
LP1BAH-SAMPLE 12" x 24" 1-1/4" Blade

Rated Bahamas

- High Visibility: FBC (non-HVHZ), TDI, IBC/IRC
- Bertha™ Impact: FBC (HVHZ and non-HVHZ)



Eastern Metal Supply www.easternmetal.com • info@easternmetal.com

FL: 800-432-2204 • NC: 800-343-8154 • TX: 800-996-6061 • MO: 888-822-6061 v03/17


Eastern Metal Supply

Decorative Bahama Shutters


Decorative Engineering available upon request. All rivets & screws are commercially available.

Note: For applications requiring code rated hurricane protection refer to EMS High Visibility Bahama/Colonial product.






HV Low Profile Bahama Schematic (Exterior View)



HV Low Profile Z-Blade System Schematic



HV Low Profile Bahama Blade Options

<p>1-1/4" HV Low Profile Blade x 12' 41-63-834 Mill Finish</p>  <p>1.250</p>	<p>2" HV Low Profile Blade x 16' (#14 screw) 80-MF-013 Mill Finish</p>  <p>2.000</p>	<p>2" HV Low Profile Blade x 16' (Non-Impact) 41-63-830 Mill Finish</p>  <p>2.000</p>	<p>2" HV Low Profile Blade x 16' (Non-Impact) 41-63-835 Mill Finish</p>  <p>2.000 1.250</p>	<p>HV Low Profile Z-Blade x 12' 2" 52-63-060 Mill Finish</p>  <p>0.625 2.208</p>
---	---	--	--	---




Eastern Metal Supply www.easternmetal.com • info@easternmetal.com

FL: 800-432-2204 • NC: 800-343-8154 • TX: 800-996-6061 • MO: 888-822-6061 v03/17


HV LOW PROFILE DECORATIVE BAHAMA/COLONIAL SYSTEMS*

*Currently available for decorative applications; Future code testing pending

HV Low Profile Bahama Schematic (Exterior View)




Note: For applications requiring code rated hurricane protection refer to EMS High Visibility Bahama/Colonial product.




HV Low Profile Colonial Schematics (Exterior Views)

HV Low Profile Z-Blade System Schematic



Decorative Bahama Application (Exterior View)

Decorative Engineering available upon request.
All rivets & screws are commercially available.



Decorative Colonial Application (Exterior View)

Hurricane 48



Eastern Metal Supply
Quality Shapes In Aluminum

EMS FL
1-800-432-2204

(561) 588-4780 - fax

EMS NC
1-800-343-8154

(704) 391-2267 - fax

EMS TX
1-800-996-6061

(281) 656-2297 - fax

EMS MO
1-888-822-6061

(314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL













website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 05/16/14

2" LOW PROFILE DECORATIVE BAHAMA/COLONIAL SYSTEM*

*Currently available for decorative applications; Future code testing pending

<p>2" Bahama/Colonial Hollow Blade x 16' Uses #14 screw 80-MF-013 Mill Finish</p>  <p>2.000</p>	<p>2" Bahama Decorative Blade x 16' (Non-Impact) 41-63-830 Mill Finish</p>  <p>2.000</p>	<p>2" Colonial Decorative Blade x 16' (Non-Impact) 41-63-835 Mill Finish</p>  <p>2.000 1.250</p>	<p>Low Profile Side Frame x 20' 3" Mill Finish 41-63-832 UNPUNCHED 41-63-832L200 PUNCHED Left* 41-63-832R200 PUNCHED Right*</p> <p>*Punched for 2" Blades</p>  <p>1.250 2.250</p>
<p>Low Profile Bahama Vertical Center Mullion x 20' 3" Mill Finish 41-63-838 UNPUNCHED 41-63-838P200 PUNCHED*</p> <p>*Punched for 2" Blades</p>  <p>1.250 2.250</p>	<p>Low Profile Horizontal Frame x 21' 41-63-831 Mill Finish</p> <p>Can be used as Bottom Frame & Center Mullion; Colonial Top Frame</p>  <p>2.250 1.400</p>	<p>Low Profile Colonial Horizontal Rail x 16' 2" x 20' 41-63-862 Mill Finish <i>Horizontal Rail for Colonials</i></p>  <p>1.312 2.250</p>	<p>Alternate New Orleans Style 4" Bottom Rail x 21' Colonial Applications MILL ORDER 41-63-863</p>  <p>4.000 1.400</p>
<p>LOW PROFILE MALE BAHAMA FRAME HINGE 41-63-837N x 20' Mill Finish</p>  <p>2.250 1.400</p>	<p>BAHAMA FEMALE HINGE x 20' 41-63-803 Mill Finish 6 pcs</p>  <p>1.449 2.381</p>	<p>1" BUILD-OUT BAHAMA FEMALE HINGE x 20' 41-63-804 Mill Finish 6 pcs</p>  <p>1.461 3.311</p>	<p>BAHAMA FEMALE FLAT HINGE x 20' 41-63-805 Mill Finish 6 pcs</p>  <p>3.374</p>

2" Low Profile Bahama Colonial coverage chart

Additional heights available upon request. Blades continue inside top & bottom channel.

For Hinges & Components see Hurricane p55

visible blades	total blades	finished height"	visible blades	total blades	finished height"	visible blades	total blades	finished height"
4	6	11-3/4	21	23	42-1/2	38	40	73-1/4
5	7	13-9/16	22	24	44-5/16	39	41	75-1/16
6	8	15-3/8	23	25	46-1/8	40	42	76-7/8
7	9	17-3/16	24	26	47-15/16	41	43	78-11/16
8	10	19	25	27	49-3/4	42	44	80-1/2
9	11	20-13/16	26	28	51-9/16	43	45	82-5/16
10	12	22-5/8	27	29	53-3/8	44	46	84-1/8
11	13	24-7/16	28	30	55-3/16	45	47	85-15/16
12	14	26-1/4	29	31	57	46	48	87-3/4
13	15	28	30	32	58-13/16	47	49	89-9/16
14	16	29-13/16	31	33	60-5/8	48	50	91-3/8
15	17	31-5/8	32	34	62-7/16	49	51	93-3/16
16	18	33-7/16	33	35	64-1/4	50	52	95
17	19	35-1/4	34	36	66-1/16	51	53	96-13/16
18	20	37-1/16	35	37	67-7/8	52	54	98-5/8
19	21	38-7/8	36	38	69-11/16			
20	22	40-11/16	37	39	71-1/2			

Hurricane 49



EMS FL

1-800-432-2204

(561) 588-4780 - fax

EMS NC

1-800-343-8154

(704) 391-2267 - fax

EMS TX

1-800-996-6061

(281) 656-2297 - fax

EMS MO

1-888-822-6061

(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL











website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 06/15/17

1-1/4" HV LOW PROFILE DECORATIVE BAHAMA/COLONIAL SYSTEM*

*Currently available for decorative applications; Future code testing pending

<p>1-1/4" HV LOW PROFILE BLADE x 12' 41-63-834 Mill Finish</p> 	<p>HV LOW PROFILE SIDE FRAME x 20' 3" Mill Finish 41-63-832 UNPUNCHED 41-63-832L125 PUNCHED Left* 41-63-832R125 PUNCHED Right*</p> <p>*Punched for 1-1/4" Blades</p> 	<p>HV LOW PROFILE BAHAMA VERTICAL CENTER MULLION x 20' 3" Mill Finish 41-63-838 UNPUNCHED 41-63-838P125 PUNCHED*</p> <p>*Punched for 1-1/4" Blades</p> 	
<p>HV LOW PROFILE HORIZONTAL FRAME X 21' 41-63-831 Mill Finish</p> <p>Can be used as Bottom Frame & Center Mullion; Colonial Top Frame</p> 	<p>HV LOW PROFILE COLONIAL HORIZONTAL RAIL x 16' 2" 41-63-862 Mill Finish <i>Horizontal Rail for Colonials</i></p> 	<p>Alternate New Orleans Style 4" Bottom Rail Colonial Applications MILL ORDER 41-63-863</p> 	<p>HV LOW PROFILE MALE BAHAMA HINGE 41-63-837N x 20' Mill Finish</p> 
<p>BAHAMA FEMALE HINGE x 20' 41-63-803 Mill Finish 6 pcs</p> 	<p>1" BUILD-OUT BAHAMA FEMALE HINGE x 20' 41-63-804 Mill Finish 6 pcs</p> 	<p>BAHAMA FEMALE FLAT HINGE x 20' 41-63-805 Mill Finish 6 pcs</p> 	

1-1/4" Low Profile Bahama Colonial coverage chart

Additional heights available upon request. Blades continue inside top & bottom channel.

For Hinges & Components see Hurricane p55

visible blades	total blades	finished height"	visible blades	total blades	finished height"	visible blades	total blades	finished height"
18	22	20-3/8	34	38	34-1/2	50	54	48-5/8
19	23	21-1/4	35	39	35-3/8	51	55	49-1/2
20	24	22-1/8	36	40	36-1/4	52	56	50-3/8
21	25	23	37	41	37-1/8	53	57	51-1/4
22	26	23-7/8	38	42	38	54	58	52-1/8
23	27	24-13/16	39	43	38-7/8	55	59	53
24	28	25-11/16	40	44	39-3/4	56	60	53-7/8
25	29	26-9/16	41	45	40-11/16	57	61	54-3/4
26	30	27-7/16	42	46	41-9/16	58	62	55-5/8
27	31	28-5/16	43	47	42-7/16	59	63	56-9/16
28	32	29-3/16	44	48	43-5/16	60	64	57-7/16
29	33	30-1/16	45	49	44-3/16	61	65	58-5/16
30	34	30-15/16	46	50	45-1/16	62	66	59-3/16
31	35	31-13/16	47	51	45-15/16	63	67	60-1/16
32	36	32-3/4	48	52	46-13/16			
33	37	33-5/8	49	53	47-11/16			

Hurricane 50



EMS FL
1-800-432-2204

(561) 588-4780 - fax

EMS NC
1-800-343-8154

(704) 391-2267 - fax

EMS TX
1-800-996-6061

(281) 656-2297 - fax

EMS MO
1-888-822-6061

(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL












website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 06/15/17

HV LOW PROFILE DECORATIVE BAHAMA/COLONIAL Z-BLADE SYSTEM*

*Currently available for decorative applications; Future code testing pending

<p>HV LOW PROFILE Z-BLADE x 12' 2" 52-63-060 Mill Finish for Z-Blade System</p> 	<p>HV LOW PROFILE VERTICAL FRAME WITH SNAP x 16' 2" Mill Finish 41-63-860 Mates with 41-63-861R/L for Z-Blade System</p> 	<p>HV LOW PROFILE Z - SNAP PLATE x 16' 2" Mill Finish 41-63-861R 41-63-861L Mates with 41-63-860 PUNCHED* Right PUNCHED* Left</p> <p>*Punched to accept Z-Blade</p> 	
<p>HV LOW PROFILE BAHAMA VERTICAL CENTER MULLION x 20' 3" Mill Finish 41-63-838 41-63-838PZ UNPUNCHED PUNCHED*</p> <p>*Punched to accept Z-Blade</p> 	<p>HV LOW PROFILE HORIZONTAL FRAME X 21' 41-63-831 Mill Finish</p> <p>Can be used as Bottom Frame & Center Mullion; Colonial Top Frame</p> 	<p>HV LOW PROFILE COLONIAL HORIZONTAL RAIL x 16' 2" 41-63-862 Mill Finish Horizontal Rail for Colonials</p> 	<p>Alternate New Orleans Style 4" Bottom Rail Colonial Applications MILL ORDER 41-63-863</p> 
<p>HV LOW PROFILE MALE BAHAMA HINGE x 20' 41-63-837N Mill Finish</p> 	<p>BAHAMA FEMALE HINGE x 20' 41-63-803 Mill Finish 6 pcs</p> 	<p>1" BUILD-OUT BAHAMA FEMALE HINGE x 20' 41-63-804 Mill Finish 6 pcs</p> 	<p>BAHAMA FEMALE FLAT HINGE x 20' 41-63-805 Mill Finish 6 pcs</p> 

Low Profile Bahama Colonial Z-BLADE coverage chart

Additional heights available upon request. Blades continue inside top & bottom channel.

For Hinges & Components see Hurricane p 55

visible blades	total blades	finished height"	visible blades	total blades	finished height"	visible blades	total blades	finished height"
11	13	27-7/16	30	32	67	49	51	106-5/8
12	14	29-1/2	31	33	69-1/16	50	52	108-5/8
13	15	31-9/16	32	34	71-1/8	51	53	110-3/4
14	16	33-11/16	33	35	73-1/4	52	54	112-7/8
15	17	35-3/4	34	36	75-5/16	53	55	114-7/8
16	18	37-3/16	35	37	77-3/8	54	56	117
17	19	39-15/16	36	38	79-1/2	55	57	119-1/8
18	20	42	37	39	81-9/16	56	58	121-1/8
19	21	44-1/16	38	40	83-5/8	57	59	123-1/4
20	22	46-3/16	39	41	85-3/4	58	60	125-3/8
21	23	48-1/4	40	42	87-13/16	59	61	127-3/8
22	24	50-5/16	41	43	89-7/8	60	62	129-1/2
23	25	52-7/16	42	44	92	61	63	131-5/8
24	26	54-1/2	43	45	94-5/8	62	64	133-5/8
25	27	56-9/16	44	46	96-1/8	63	65	135-3/4
26	28	58-11/16	45	47	98-1/4	64	66	137-3/4
27	29	60-3/4	46	48	100-5/16	65	67	139-7/8
28	30	62-3/16	47	49	102-3/8	66	68	142
29	31	64-15/16	48	50	104-1/2	67	69	144

Hurricane 51



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL

website: www.EasternMetal.com

e-mail: info@EasternMetal.com


version: 06/15/17

NON-IMPACT BAHAMA/COLONIAL SYSTEM

For Hinges & Components see Hurricane p55 (next page)

BAHAMA/COLONIAL HOLLOW BLADE x 16'


80-MF-011 M/F (#8 screw)
80-WH-011 White (#8 screw)
Mates with Punched Frame and Cap



NON
ASSA
PRODUCT

BAHAMA/COLONIAL SOLID BLADE x 20'


52-63-4696 M/F 20 pcs
52-63-3060 White 24 pcs
Mates with Punched Frame and Cap



NON
ASSA
PRODUCT

MALE BAHAMA FRAME (with Hinge) x 20'


52-63-8535 M/F



NON
ASSA
PRODUCT

BAHAMA/COLONIAL FRAME x 20'

52-63-4694 M/F 8 pcs
80-WH-012 White 6 pcs




NON
ASSA
PRODUCT

Copyright 2007-2014 Eastern Metal Supply, Inc. HVTM, BERTHA HV®, BERTHA®, DACROSHIELD® are all trademarks of Eastern Metal Supply, Inc. ASSA® is a trademark of the American Shutter Systems Association. All rights reserved.

BAHAMA/COLONIAL CENTER MULLION x 20' (Punched*)


52-63-4695P M/F 6 pcs
52-63-4695 M/F (Unpunched) 6 pcs



NON
ASSA
PRODUCT

2" X .093" ARCHITECTURAL ANGLE x 24' 3" (Corner Key)

52-63-5805A M/F





For Storm Protection Shutter to be backed with .050 sheet

NON
ASSA
PRODUCT

BAHAMA/COLONIAL FRAME CAP x 20' (Punched & Unpunched)

punched* (left) 20 pcs (mates with Frame)
52-63-4698L M/F
punched* (right) 20 pcs (mates with Mullion & Frame)
52-63-4698R M/F
unpunched 16 pcs (mates with Frame)
52-63-4698 M/F

NON
ASSA
PRODUCT




RATED NON-IMPACT DECORATIVE SHADE AWNING

For Hinges & Components see Hurricane p55 (next page)


H-Mullion x 26' 9"

52-63-1706 6063-T6 Mill Finish




Horizontal Tube x 26' 9"

52-63-058 6063-T6 Mill Finish




Shutter Jamb x 26' 9"

52-63-059 6063-T6 Mill Finish



Louver Blade x 12' 2"

52-63-060 6063-T6 Mill Finish



* Blade slides into punched .050 sheet and inserts into Shutter Jamb slot.

Hurricane 54



Eastern Metal Supply
Quality Shapes In Aluminum

EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL





website: www.EasternMetal.com





e-mail: info@EasternMetal.com

version: 08/18/16





BAHAMA/COLONIAL HINGES & COMPONENTS

Used in a variety of Bahama/Colonial Systems

<p>Bahama Female Hinge x 20' 41-63-803 Mill Finish 6 pcs</p> 	<p>1" Build-Out Bahama Female Hinge x 20' 41-63-804 Mill Finish 6 pcs</p> 	<p>Bahama Female Flat Hinge x 20' 41-63-805 Mill Finish 6 pcs</p> 	<p>Bahama Male Hinge x 20' 41-63-814 Mill Finish 16 pcs</p> 
--	---	--	---

<p>Colonial Single Hinge x 12' Mill Finish 6 pcs 41-63-816 <i>Wall Mount</i> <i>Mates with 41-63-824N</i></p> 	<p>Colonial Double Hinge x 12' Mill Finish 4 pcs 41-63-813 <i>Wall Mount</i> <i>Mates with 41-63-824N</i></p> 	<p>Colonial Flat Hinge x 12' 41-63-811 <i>Wall Mount</i> Mill Finish 6 pcs; <i>Mates with 41-63-824N</i></p>  <p>Colonial Flat Hinge x 12' 41-63-824N <i>Shutter Mount</i> Mill Finish 6 pcs; <i>Mates with 41-63-816, 41-63-813, 41-63-811, 41-63-824N</i></p> 
---	--	--

<p>HV™ Bahama Telescoping Arm Kit <i>Kit includes 2 Tubes, Slip Collar, Camel Back, Cap and U-Clip.</i> <i>(Approximate Max Extended Length shown in parenthesis)</i></p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Code</th> <th style="text-align: left;">Arm Size (Extended) Finish</th> <th style="text-align: left;">Code</th> <th style="text-align: left;">Arm Size (Extended) Finish</th> </tr> </thead> <tbody> <tr> <td>7002K</td> <td>12" (23") MF</td> <td>7017K</td> <td>30" (59") MF</td> </tr> <tr> <td>7002KWH</td> <td>12" (23") White</td> <td>7017KWH</td> <td>30" (59") White</td> </tr> <tr> <td>7002KBK</td> <td>12" (23") Black</td> <td>7017KBK</td> <td>30" (59") Black</td> </tr> <tr> <td>7002KMB</td> <td>12" (23") Bronze</td> <td>7017KMB</td> <td>30" (59") Bronze</td> </tr> <tr> <td>7003K (FL/TX)</td> <td>18" (35") MF</td> <td>7018K</td> <td>36" (71") MF</td> </tr> <tr> <td>7003KWH</td> <td>18" (35") White</td> <td>7018KWH</td> <td>36" (71") White</td> </tr> <tr> <td>7003KBK</td> <td>18" (35") Black</td> <td>7018KBK</td> <td>36" (71") Black</td> </tr> <tr> <td>7003KMB</td> <td>18" (35") Bronze</td> <td>7018KMB</td> <td>36" (71") Bronze</td> </tr> <tr> <td>7004K (FL/TX)</td> <td>24" (47") MF</td> <td></td> <td></td> </tr> <tr> <td>7004KWH</td> <td>24" (47") White</td> <td></td> <td></td> </tr> <tr> <td>7004KBK (FL/TX)</td> <td>24" (47") Black</td> <td></td> <td></td> </tr> <tr> <td>7004KMB</td> <td>24" (47") Bronze</td> <td></td> <td></td> </tr> </tbody> </table> 	Code	Arm Size (Extended) Finish	Code	Arm Size (Extended) Finish	7002K	12" (23") MF	7017K	30" (59") MF	7002KWH	12" (23") White	7017KWH	30" (59") White	7002KBK	12" (23") Black	7017KBK	30" (59") Black	7002KMB	12" (23") Bronze	7017KMB	30" (59") Bronze	7003K (FL/TX)	18" (35") MF	7018K	36" (71") MF	7003KWH	18" (35") White	7018KWH	36" (71") White	7003KBK	18" (35") Black	7018KBK	36" (71") Black	7003KMB	18" (35") Bronze	7018KMB	36" (71") Bronze	7004K (FL/TX)	24" (47") MF			7004KWH	24" (47") White			7004KBK (FL/TX)	24" (47") Black			7004KMB	24" (47") Bronze			<p>1" SLIP COLLAR WITH THUMB SCREW <i>Accepts 1" Serrated Tube for Telescoping Arms</i></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td>7000 (FL/TX)</td> <td>Mill Finish x 9/16"</td> </tr> <tr> <td>7000WH</td> <td>White x 9/16"</td> </tr> <tr> <td>7000BK</td> <td>Black x 9/16"</td> </tr> <tr> <td>7000MB</td> <td>Bronze x 9/16"</td> </tr> <tr> <td>MILL ORDER</td> <td>52-63-2484 MF x 20"</td> </tr> <tr> <td>52-00-139 (TX)</td> <td>Mill Finish x 9/16" (No Thumbscrew)</td> </tr> <tr> <td>41014 (TX)</td> <td>1/4-20 x 3/4 Thumbscrew (mates with 52-00-139)</td> </tr> <tr> <td>41021 (TX)</td> <td>1/4-20 x 1 Thumbscrew (mates with 52-00-139)</td> </tr> </table> <p>CAMEL BACK CLIP WITH PIN</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td>7001</td> <td>Mill Finish</td> </tr> <tr> <td>7001WH</td> <td>White</td> </tr> <tr> <td>7001BK</td> <td>Black</td> </tr> <tr> <td>7001MB</td> <td>Bronze</td> </tr> <tr> <td>41010 (TX)</td> <td>Camel Back Clip (no pin)</td> </tr> <tr> <td>41012 (TX)</td> <td>Camel Back Pin</td> </tr> </table> 	7000 (FL/TX)	Mill Finish x 9/16"	7000WH	White x 9/16"	7000BK	Black x 9/16"	7000MB	Bronze x 9/16"	MILL ORDER	52-63-2484 MF x 20"	52-00-139 (TX)	Mill Finish x 9/16" (No Thumbscrew)	41014 (TX)	1/4-20 x 3/4 Thumbscrew (mates with 52-00-139)	41021 (TX)	1/4-20 x 1 Thumbscrew (mates with 52-00-139)	7001	Mill Finish	7001WH	White	7001BK	Black	7001MB	Bronze	41010 (TX)	Camel Back Clip (no pin)	41012 (TX)	Camel Back Pin
Code	Arm Size (Extended) Finish	Code	Arm Size (Extended) Finish																																																																														
7002K	12" (23") MF	7017K	30" (59") MF																																																																														
7002KWH	12" (23") White	7017KWH	30" (59") White																																																																														
7002KBK	12" (23") Black	7017KBK	30" (59") Black																																																																														
7002KMB	12" (23") Bronze	7017KMB	30" (59") Bronze																																																																														
7003K (FL/TX)	18" (35") MF	7018K	36" (71") MF																																																																														
7003KWH	18" (35") White	7018KWH	36" (71") White																																																																														
7003KBK	18" (35") Black	7018KBK	36" (71") Black																																																																														
7003KMB	18" (35") Bronze	7018KMB	36" (71") Bronze																																																																														
7004K (FL/TX)	24" (47") MF																																																																																
7004KWH	24" (47") White																																																																																
7004KBK (FL/TX)	24" (47") Black																																																																																
7004KMB	24" (47") Bronze																																																																																
7000 (FL/TX)	Mill Finish x 9/16"																																																																																
7000WH	White x 9/16"																																																																																
7000BK	Black x 9/16"																																																																																
7000MB	Bronze x 9/16"																																																																																
MILL ORDER	52-63-2484 MF x 20"																																																																																
52-00-139 (TX)	Mill Finish x 9/16" (No Thumbscrew)																																																																																
41014 (TX)	1/4-20 x 3/4 Thumbscrew (mates with 52-00-139)																																																																																
41021 (TX)	1/4-20 x 1 Thumbscrew (mates with 52-00-139)																																																																																
7001	Mill Finish																																																																																
7001WH	White																																																																																
7001BK	Black																																																																																
7001MB	Bronze																																																																																
41010 (TX)	Camel Back Clip (no pin)																																																																																
41012 (TX)	Camel Back Pin																																																																																

<p>Telescoping Serrated Tube x 20' Mill Finish</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td>52-63-537</td> <td>.875"</td> <td>26 pcs</td> </tr> <tr> <td>51-63-381</td> <td>1.000"</td> <td>32 pcs</td> </tr> </table> 	52-63-537	.875"	26 pcs	51-63-381	1.000"	32 pcs	<p>Corner Key/Tie Down Mill Finish Angle</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td>2 x 2 x 1/8 x 20'</td> <td>11-63-315</td> </tr> <tr> <td>2 x 2 x 3/16 x 20'</td> <td>11-63-320</td> </tr> </table> 	2 x 2 x 1/8 x 20'	11-63-315	2 x 2 x 3/16 x 20'	11-63-320	<p>Fixed Low Pro Colonial Mounting Bracket 1.5 x 1.5 x .062 Angle Pre-Drilled 3/16" Holes</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td>7058</td> <td>x 4"</td> </tr> <tr> <td>7053</td> <td>x 10"</td> </tr> <tr> <td>7055</td> <td>x 14"</td> </tr> </table> 	7058	x 4"	7053	x 10"	7055	x 14"	<p>Low Pro Hold Back Clip Sold in Pairs (box of 100) <u>LP-HOLDBACK</u></p>  <p style="font-size: small; text-align: right;">Copyright 2007-2017 Eastern Metal Supply, Inc. HV™ BERTHA HV®, BERTHA® are all trademarks of Eastern Metal Supply, Inc. ASSA® is a trademark of the American Shutter Systems Association. All rights reserved.</p>
52-63-537	.875"	26 pcs																	
51-63-381	1.000"	32 pcs																	
2 x 2 x 1/8 x 20'	11-63-315																		
2 x 2 x 3/16 x 20'	11-63-320																		
7058	x 4"																		
7053	x 10"																		
7055	x 14"																		

Hurricane 55

 EMS FL 1-800-432-2204 (561) 588-4780 - fax	EMS NC 1-800-343-8154 (704) 391-2267 - fax	EMS TX 1-800-996-6061 (281) 656-2297 - fax	EMS MO 1-888-822-6061 (314) 344-3349 - fax
Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL website: www.EasternMetal.com e-mail: info@EasternMetal.com version: 04/24/17			

Eastern Metal Supply
Quality Shapes In Aluminum