

40MM BERTHA™ END RETENTION ROLL SHUTTER SYSTEM (ER)

Code Approvals: FBC Non-HVHZ, FBC HVHZ, IBC/IRC, TDI & Miami-Dade

40mm Double Wall Slat with Screw Boss x 22'

40-COLOR-471
Vented
Available in *White (WH)*, *Ivory (IV)*, *Bronze (MB)* and *Beige (BG)*

40-COLOR-472
NON-Vented



40mm Single Wall Slat with Screw Boss x 22'

40-COLOR-470
Vented
40-COLOR-469
NON-Vented

Available in *White (WH)*, *Ivory (IV)*, *Bronze (MB)* and *Beige (BG)*




40mm Slat Locks

90000C LEFT 100/pkg
90001C RIGHT 100/pkg
Black



40/55mm Small Leg Track x 22' 6"

40-COLOR-475
Mates w/ Bertha™ ER Cover Cap
Available in *White (WH)*, *Ivory (IV)*, *Bronze (MB)* and *Beige (BG)*



40/55mm Large Leg Track x 22' 6"

40-COLOR-480
Available in *White (WH)*, *Ivory (IV)*, *Bronze (MB)* and *Beige (BG)*




BERTHA™ ER Cover Cap x 22' 6"

Mates w/ Bertha™ Open Track
40-COLOR-485
Available in *White (WH)*, *Ivory (IV)*, *Bronze (MB)* and *Beige (BG)*



40/55mm Small Leg Track x 22' 6" Closed Face

40-COLOR-478
Available in *White (WH)*, *Ivory (IV)*, *Bronze (MB)* and *Beige (BG)*



40mm #10 x 2 ER Screw

90003C 100/pkg



40mm Screw Sleeve

90002C 100/pkg
Black



40/55mm Large Leg Track x 22' 6" Closed Face

40-COLOR-483
Available in *White (WH)*, *Ivory (IV)*, *Bronze (MB)* and *Beige (BG)*



Track Felt Roll x 2000'

(.320/.270)
41-HV-320 Black Felt Roll



40mm Hand Held Sample

40ERDW-SAMPLE Double Wall
SPECIAL ORDER 40ERSW-SAMPLE Single Wall
17" x 8" with Base Slat & Lock



Hurricane 19



Eastern Metal Supply
Quality Shapes In Aluminum

EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Birmingham, AL; Akron, OH and Van Buren, AR

website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 04/05/18

40MM BERTHA™ END RETENTION ROLL SHUTTER SYSTEM (ER)

Code Approvals: FBC Non-HVHZ, FBC HVHZ, IBC/IRC, TDI & Miami-Dade

40mm Base Slat x 20'

40-COLOR-100


Available in
White (WH),
Ivory (IV),
Bronze (MB)
and Beige (BG)



40mm Base Cover x 20'

40-COLOR-105

Available in
White (WH),
Ivory (IV),
Bronze (MB)
and Beige (BG)



40mm Base Slat Cylinder Lock

SPECIAL ORDER

2003432



Bottom Slat Weather Seal

41-68-101 400' Roll - 21" Reel

Bulb Gasket Seal Black
Mates w/ 40mm, 55mm, 58mm, 60mm Slats



Profile

40mm Base Slat Locking Rod

10-63-265 3/16 x 1 x 20'

Mill Finish



40mm Base Slat Lock Guide

40-BK-800 Black Plastic



Home Automation

App Control • Remote Access
On Screen Setup Wizard
Time Events • Scenes

- Protect your Patio Today
- Block the Sun, Wind & Rain
- Spring Loaded System - Finger Tip Control
- Vented Slats Let the Light In

Patio Shade & Shutter

Patio Shade & Shutter

www.easternmetal.com

Options Include:
Motorization • Hurricane Protection
Operate with Your Smartphone



Somfy myLink™

1811264

Requires RTS
Motor; Free App
Download

Additional 40mm Extrusions & Acc. on Previous page (Hurricane 19)

Copyright 2007-2014 Eastern Metal Supply, Inc. HVTM, BERTHA HV®, BERTHA®, DACROSHIELD® are all trademarks of Eastern Metal Supply, Inc. ASSA® is a trademark of the American Shutter Systems Association. All rights reserved.



40mm Single Wall Sample with Assist Spring
40ERSW-SPRING
24" x 24"

Manually operated by hand

Hurricane 20



Eastern Metal Supply
Quality Shapes In Aluminum

EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE, Birmingham, AL and Akron, OH

website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 07/27/17

55MM BERTHA™ END RETENTION SYSTEM (ER)

Code Approvals: FBC Non-HVHZ, FBC HVHZ

<p>55 MM SLAT x 24' Vented 40-COLOR-980 <i>Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)</i> (0 Pcs.)</p>  <p>2.500</p> <p>-531-</p>	<p>55mm ER Non Vented View Port Slat x 24' 40-COLOR-980VPNV <i>Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)</i></p>  <p>55mm ER View Port Insert (.118 x .845 x 96") 40-VP-990 <i>Clear Polycarbonate</i></p>	<p>55mm ER Slat Lock 40-63-785 Top 40-63-784 Bottom Black</p> 	<p>55 MM End Retention Assembly Screws Phillips Head Sheet Metal Screws 41108-100 100 screws per bag <i>All Points Product Code: 10N250TXFS/HV</i></p> 	
<p>40/55mm Small Leg Track x 22' 6" 40-COLOR-475* <i>Mates w/ Bertha™ ER Cover Cap</i></p>  <p>1.002</p> <p>2.944</p> <p>ER Cover Cap x 22' 6" 40-COLOR-485* <i>Mates w/ Bertha™ Open Tracks</i></p>  <p><i>*Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)</i></p>	<p>40/55mm Small Leg Track x 22' 6" Closed Face 40-COLOR-478 <i>Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)</i></p>  <p>1.002</p> <p>2.944</p>	<p>40/55mm Large Leg Track x 22' 6" 40-COLOR-480* ER Cover Cap x 22' 6" 40-COLOR-485* <i>Mates w/ Bertha™ Open Tracks</i></p>  <p>1.096</p> <p>3.285</p>  <p><i>*Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)</i></p>	<p>40/55mm Large Leg Track x 22' 6" Closed Face 40-COLOR-483 <i>Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)</i></p>  <p>1.070</p> <p>3.285</p>	
<p>Base Slat x 20' (Optional) 40-COLOR-100 <i>Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)</i></p>  <p>1.819</p> <p>3.213</p> <p>-831-</p>	<p>Base Cover x 20' 40-COLOR-105 <i>Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG)</i></p>  <p>1.922</p>	<p>Base Slat Cylinder Lock 2003432-1 2003432-2 2003432-3 2003432-4</p> 	<p>Base Slat Locking Rod 10-63-265 Mill Finish 3/16 x 1 x 20'</p>  <p>Base Slat Lock Guide 40-BK-800 Black Plastic</p> 	<p>55mm ER Hand Held Sample 55ER-SAMPLE</p> 

Hurricane 21



Eastern Metal Supply
Quality Shapes In Aluminum

EMS FL
1-800-432-2204
(561) 588-4780 - fax

EMS NC
1-800-343-8154
(704) 391-2267 - fax

EMS TX
1-800-996-6061
(281) 656-2297 - fax

EMS MO
1-888-822-6061
(314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Birmingham, AL; Akron, OH and Van Buren, AR
website: www.EasternMetal.com **e-mail:** info@EasternMetal.com **version:** 05/10/18

58MM BERTHA™ END RETENTION SYSTEM (ER)

Code Approvals: FBC (non-HVHZ); Open Back Slat: FBC (non-HVHZ), TDI, IBC/IRC

58mm BERTHA™ ER SLAT

Vented x 21'

40-COLOR-810PC

Vented x 24'


40-COLOR-805PC

Available in *White (WH)*, *Ivory (IV)*,
Bronze (MB) and *Beige (BG)*

NON Vented x 24'

40-WH-805PCNV

White



58mm BERTHA™ ER VIEW PORT SLAT x 24'

40-Color-805PCV PNV 1 x 2 Window



CLEAR POLYCARBONATE VIEW PORT INSERT X 8'

40-VP-805 1-7/16 x .090

BERTHA™ ER SLAT LOCK GLIDE

40-63-799


boxed - 500 sets left and right

BERTHA™ SLAT LOCK

(Non-ER)

40-63-798

boxed - 1000 pcs



Lock Glide


Slat Lock

3" BERTHA™ ER TRACK x 24'

Felt: 41-HV-320

40-COLOR-824PC

Available in *White (WH)*, *Ivory (IV)*, *Bronze (MB)* and *Beige (BG)*




BERTHA™ DADE TRACK x 24' 6"

(Non-ER)

Felt: 41-HV-160

41-COLOR-300


Available in *White (WH)*, *Ivory (IV)*, *Bronze (MB)*



3" BERTHA™ HEAVY DUTY ER TRACK x 24'

Felt: 41-HV-320

MILL ORDER 40-COLOR-825PC




BERTHA™ ER COVER CAP x 22' 6"

Mates w/ Bertha™ Open Track

40-COLOR-485

Available in *White (WH)*, *Ivory (IV)*, *Bronze (MB)* and *Beige (BG)*




BERTHA™ ER OPEN TRACK x 22' 6"

(Open End)

Felt: 41-HV-320 Mates w/ Bertha™ Cover Cap

40-COLOR-800

Available in *White (WH)*, *Ivory (IV)*, *Bronze (MB)* and *Beige (BG)*



Copyright 2007-2016 Eastern Metal Supply, Inc. HVTM, BERTHA HV®.
BERTHA®, DACROSHIELD® are all trademarks of Eastern Metal Supply, Inc.
ASSA® is a trademark of the American Shutter Systems Association. All rights reserved.

Hurricane 22



EMS FL

1-800-432-2204

(561) 588-4780 - fax

EMS NC

1-800-343-8154

(704) 391-2267 - fax

EMS TX

1-800-996-6061

(281) 656-2297 - fax

EMS MO

1-888-822-6061

(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE, Birmingham, AL and Akron, OH

website: www.EasternMetal.com


e-mail: info@EasternMetal.com

version: 10/12/17

PAINTED TUBING FOR ROLL SHUTTERS

Bertha™ Painted Aluminum Square Tube

<u>Stock Code</u>	<u>Size in Inches (E x M x S color)</u>	<u>Approx. Wt/Lin ft.</u>
<u>19-WH-225</u>	3 x .125 x 20' White	1.726
<u>19-WH-220</u>	3 x .125 x 24' White	1.726
<u>19-MB-235</u>	3 x .125 x 24' Bronze	1.726
<u>19-IV-235</u>	3 x .125 x 24' Ivory	1.726
<u>19-BG-235</u>	3 x .125 x 24' Beige	1.726
<u>19-BK-235</u>	3 x .125 x 24' Black	1.726
<u>19-COLOR-240</u>	3 x .250 x 24' **	3.300
<u>19-WH-245</u>	4 x .125 x 20' White	2.325
<u>19-WH-400</u>	4 x .125 x 24' White	2.325
<u>19-MB-246</u>	4 x .125 x 24' Bronze	2.325
<u>19-IV-400</u>	4 x .125 x 24' Ivory	2.325
<u>19-BG-400</u>	4 x .125 x 24' Beige	2.325
<u>19-BK-400</u>	4 x .125 x 24' Black	2.325
<u>200-WH-028</u>	4 x .125 x 30' White	2.325
<u>200-MB-028</u>	4 x .125 x 30' Bronze	2.325
<u>19-WH-2500</u>	4 x .250 x 20' White	4.500
<u>19-MB-2500</u>	4 x .250 x 24' Bronze	4.500
<u>19-IV-2500</u>	4 x .250 x 24' Ivory	4.500
<u>19-BG-2500</u>	4 x .250 x 24' Beige	4.500
<u>19-WH-2501</u>	4 x .250 x 24' 6" White	4.500




Bertha™ Painted Aluminum Rectangular Tube

<u>Stock Code</u>	<u>Size in Inches (E x M x S color)</u>	<u>Approx. Wt/Lin ft.</u>
<u>20-COLOR-803</u>	4 x 6 x .125 x 24' **	2.925
<u>20-COLOR-805</u>	4 x 6 x .250 x 20' **	5.700

**COLOR - Available in:

White (WH), Bronze (MB), Ivory (IV), Beige (BG)



Touch Up Spray Paint

16 ounce cans

<u>Stock Code</u>	<u>Color</u>
<u>35-00-100</u>	White
<u>35-00-100G</u>	White Gloss
<u>35-00-105</u>	Bronze
<u>35-00-105G</u>	Bronze Gloss
<u>35-00-110</u>	Ivory Gloss
<u>35-00-115 (TX)</u>	Beige
<u>35-00-115G</u>	Beige Gloss
<u>35-00-120</u>	Black
<u>35-00-120G</u>	Black Gloss

Copyright 2007-2016 Eastern Metal Supply, Inc. HVTM, BERTHA HV®, BERTHA®, DACROSHIELD® are all trademarks of Eastern Metal Supply, Inc. ASSA® is a trademark of the American Shutter Systems Association. All rights reserved.

Hurricane 23



EMS FL
1-800-432-2204
(561) 588-4780 - fax

EMS NC
1-800-343-8154
(704) 391-2267 - fax

EMS TX
1-800-996-6061
(281) 656-2297 - fax

EMS MO
1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply
Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE, Birmingham, AL and Akron, OH














website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 07/27/17

NON END RETENTION ROLL SHUTTER SYSTEMS - Code Approvals

40mm: FBC (non-HVHZ), FBC (HVHZ), TDI, IBC/IRC • 60mm: FBC (non-HVHZ), FBC (HVHZ), TDI, IBC/IRC

<p>60 MM SLAT x 22' Non Vented 40-WH-700 White 10 Pcs Vented MILL ORDER 40-WH-705T White 40-IV-705T Ivory - CLOSEOUT 40-MB-705T Broze - CLOSEOUT 40-BG-705T Beige - CLOSEOUT 10 Pcs</p> 	<p>60mm SLAT LOCK 40-63-797 Left & Right Black</p> 	<p>BERTHA™ GLADIATOR SCREEN 3-1/4" Side Rail x 24' 5" 41-WH-705 White 41-IV-705 Ivory 41-MB-705 Bronze 41-BG-705 Beige</p> 	<p>BERTHA™ GLADIATOR SCREEN Rail Cap x 24' 41-WH-703 White 41-IV-703 Ivory 41-MB-703 Bronze 41-BG-703 Beige</p> 
<p>40 MM SLAT x 20' (vented) 40-COLOR-275T Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG) 10 Pcs</p> 	<p>40mm SLAT LOCK 40-63-796 Left & Right Black</p> 	<p>BOTTOM SLAT x 22' 41-COLOR-001 Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG) 10 Pcs</p> 	<p>40 MM TRACK x 20' 41-COLOR-002 Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG) 6 Pcs</p> 
<p>DADE 55 MM TRACK x 24'6" 41-COLOR-300 Available in White (WH), Ivory (IV), Bronze (MB) and Beige (BG) 6 Pcs Felt: 41-HV-160</p> 	<p>2" STORM BAR CLIP x 12' 40-63-262 Mill Finish</p> 	<p>BOTTOM SLAT WEATHER SEAL 41-68-101 400' Roll - 21" Reel Bulb Gasket Seal Black Mates w/ 40mm, 55mm, 58mm, 60mm Slats</p>  	<p>FELT ROLL 41-HV-320 Black Felt Roll x 2000' (.320/.270) 41-HV-160* Gray Felt Roll x 4000' (.160/.270) *for Dade 55mm Track (41-COLOR-300)</p> 

Hurricane 24



Eastern Metal Supply
 Quality Shapes In Aluminum

EMS FL
 1-800-432-2204
 (561) 588-4780 - fax

EMS NC
 1-800-343-8154
 (704) 391-2267 - fax











EMS TX
 1-800-996-6061
 (281) 656-2297 - fax

EMS MO
 1-888-822-6061
 (314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Birmingham, AL, Akron, OH and Van Buren, AR
website: www.easternmetal.com **e-mail:** info@easternmetal.com **version:** 03/28/18

ROLL SHUTTER SYSTEMS - Code Approvals

40mm: FBC (non-HVHZ), FBC (HVHZ), TDI, IBC/IRC • 60mm: FBC (non-HVHZ), FBC (HVHZ), TDI, IBC/IRC

<p>Storm Bars x 22' 6" (Dove Tail Tubes) 40-WH-902 White (8 Pcs.)</p> 	<p>58 mm Octagonal Tube x 24' 40-63-250 Mill Finish</p> 	<p>60mm Reel Tube x 17' 51-63-338 2.365 ID Mill Finish</p> 	
<p>70mm Heavy Reel Tube x 24' 1" 52-63-7521 Wall: 0.168</p> 	<p>70mm HD Reel Tube x 21' 1" 41-63-349 Wall: 0.215</p> 	<p>94mm Reel Tube 3.701 ID 41-63-350 x 24' 41-63-11905 x 31'</p> 	
<p>100mm Reel Tube x 20' 18-61-255 3.548 ID (3-1/2") SCH 40</p> 	<p>In-Line Galvanized Steel Reel Tube 4" (95.5MM ID) 4" O.D.; 120 Wall 41-GLV-240 x 20' 41-GLV-288 x 24'</p> 	<p>BERTHA™ Reel Sleeve 41-63-352 Mill Finish x 20' 2" Donut SPECIAL ORDER 41-63-3522 Mill Finish</p> 	<p>BERTHA™ Reel Tube Sleeve 41-63-353 Mill Finish x 20' 2" Donut SPECIAL ORDER 41-63-3533 Mill Finish</p> 

Hurricane 25



Eastern Metal Supply
Quality Shapes In Aluminum

EMS FL
1-800-432-2204
(561) 588-4780 - fax

EMS NC
1-800-343-8154
(704) 391-2267 - fax

EMS TX
1-800-996-6061
(281) 656-2297 - fax

EMS MO
1-888-822-6061
(314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Birmingham, AL, Akron, OH and Van Buren, AR
[website: www.easternmetal.com](http://www.easternmetal.com) [e-mail: info@easternmetal.com](mailto:info@easternmetal.com) [version: 03/28/18](#)