

Aluminum Sheet & Plate

5052 H32 Mill Finish *Federal Spec. QQA-250/8*

Stock Code	Size in Inches	Approx Wt/Sheet
<u>50-03-103</u>	.032 x 48 x 120	17.88
<u>50-03-135</u>	.032 x 48 x 144	21.456
<u>50-03-137</u>	.040 x 48 x 120	22.35
<u>50-03-137LPVC*</u>	.040 x 48 x 120 (Laser PVC)	22.35
<u>50-03-140</u>	.040 x 48 x 144	27.37
<u>50-03-487 (NC/DE)</u>	.050 x 48 x 120	27.92
<u>50-03-144</u>	.050 x 60 x 144	42.34
<u>50-03-144PVC*</u>	.050 x 60 x 144	42.34
<u>50-03-146</u>	.063 x 48 x 96	27.09
<u>50-03-149</u>	.063 x 48 x 120	35.20
<u>50-03-150</u>	.063 x 48 x 144	42.24
<u>50-03-150PVC*</u>	.063 x 48 x 144	42.24
<u>50-03-154</u>	.063 x 60 x 120	44.00
<u>50-03-155</u>	.063 x 60 x 144	52.80
<u>50-03-155PVC*</u>	.063 x 60 x 144	52.80
<u>50-03-161 (DE)</u>	.080 x 48 x 96	35.20
<u>50-03-159</u>	.080 x 48 x 120	44.40
<u>50-03-160</u>	.080 x 48 x 144	53.28
<u>50-03-760 (NC/TX)</u>	.080 x 60 x 96	44.40
<u>50-03-792</u>	.080 x 60 x 120	55.50
<u>50-03-158</u>	.080 x 60 x 144	66.60
<u>50-03-630</u>	.080 x 72 x 144	79.92
<u>50-03-168</u>	.090 x 48 x 96	41.18
<u>50-03-164</u>	.090 x 48 x 120	50.40
<u>50-03-164PVC*</u>	.090 x 48 x 120	50.40
<u>50-03-165</u>	.090 x 48 x 144	60.48
<u>50-03-358 (NC/DE)</u>	.090 x 60 x 96	50.40
<u>50-03-368</u>	.090 x 60 x 120	63.00
<u>50-03-170</u>	.090 x 60 x 144	75.60
<u>50-03-171</u>	.090 x 72 x 144	90.15
<u>50-03-173</u>	.125 x 48 x 96	56.00
<u>50-03-173PVC*</u>	.125 x 48 x 96	56.00
<u>50-03-174</u>	.125 x 48 x 120	70.00
<u>50-03-174PVC*</u>	.125 x 48 x 120	70.00
<u>50-03-175</u>	.125 x 48 x 144	84.00
<u>50-03-175PVC*</u>	.125 x 48 x 144	84.00
<u>50-03-176*</u>	.125 x 48 x 168	98.00
<u>50-03-178*</u>	.125 x 48 x 192	112.00
<u>50-03-12548240</u>	.125 x 48 x 240	140.00
<u>50-03-011 (OH)</u>	.125 x 60 x 96	69.84
<u>50-03-181</u>	.125 x 60 x 120	87.50
<u>50-03-180</u>	.125 x 60 x 144	105.00
<u>50-03-182*</u>	.125 x 60 x 192	140.00
<u>50-03-652 (NC)</u>	.125 x 72 x 120	104.67
<u>50-03-12572120</u>	.125 x 72 x 120	104.67
<u>50-03-184</u>	.125 x 72 x 144	126.00
<u>50-5052-4896</u>	.190 x 48 x 96	85.12
<u>50-52-48120</u>	.190 x 48 x 120	106.40
<u>50-03-183 (NC/TX)</u>	.190 x 48 x 120	106.40
<u>50-03-185</u>	.190 x 48 x 144	127.68
<u>50-03-186</u>	.190 x 60 x 120	133.00
<u>50-03-187</u>	.190 x 60 x 144	159.60
<u>50-03-19072144</u>	.190 x 72 x 144	191.52
<u>50-03-300</u>	.250 x 48 x 96	111.68
<u>50-03-188</u>	.250 x 48 x 120	139.60
<u>50-03-190</u>	.250 x 48 x 144	167.52

5052 H32 Mill Finish - continued

<u>50-03-617 (NC/TX)</u>	.250 x 60 x 120	174.50
<u>50-52-60120</u>	.250 x 60 x 120	174.50
<u>50-03-191</u>	.250 x 60 x 144	209.40
<u>50-5052-375</u>	.375 x 48 x 96	167.68
<u>50-03-031 (NC)</u>	.375 x 48 x 96	167.68
<u>50-00-48144</u>	.375 x 48 x 144	251.52
<u>50-03-688</u>	.500 x 48 x 96	223.36
<u>50-03-647</u>	.500 x 48 x 144	335.04

3003 H14 Mill Finish *Federal Spec. QQA-250/2*

Stock Code	Size in Inches	Approx Wt/Sheet
<u>50-03-090</u>	.032 x 48 x 96	14.59
<u>50-03-100</u>	.032 x 48 x 120	18.24
<u>50-03-100LPVC*</u>	.032 x 48 x 120 (Laser PVC)	18.24
<u>50-03-104</u>	.040 x 48 x 96	18.24
<u>50-03-105</u>	.040 x 48 x 120	22.80
<u>50-03-109</u>	.050 x 48 x 96	22.816
<u>50-03-110</u>	.050 x 48 x 120	28.52
<u>50-03-794 (NC)</u>	.050 x 60 x 120	36.00
<u>50-03-114</u>	.063 x 48 x 96	28.736
<u>50-03-115</u>	.063 x 48 x 120	35.92
<u>50-03-120</u>	.063 x 48 x 144	43.50
<u>88-00-263</u>	.063 x 60 x 120	44.90
<u>88-00-634</u>	.063 x 60 x 144	54.00
<u>50-03-124</u>	.080 x 48 x 96	36.48
<u>50-03-125</u>	.080 x 48 x 120	45.60
<u>50-03-126 (NC)</u>	.080 x 48 x 144	54.76
<u>50-03-280 (NC)</u>	.080 x 60 x 96	45.60
<u>50-03-214</u>	.080 x 60 x 120	57.00
<u>50-03-304</u>	.080 x 60 x 144	68.40
<u>50-03-780</u>	.080 x 72 x 144	82.08
<u>50-03-129</u>	.090 x 48 x 96	41.28
<u>50-03-163 (NC/TX/DE/AL)</u>	.090 x 48 x 96	41.28
<u>50-03-130</u>	.090 x 48 x 120	51.60
<u>50-03-767 (NC/MO/OH)</u>	.090 x 48 x 144	61.92
<u>88-00-365 (NC)</u>	.090 x 60 x 96	51.60
<u>88-00-367</u>	.090 x 60 x 120	64.50
<u>88-00-240</u>	.090 x 60 x 144	77.40
<u>50-03-132</u>	.125 x 48 x 96	56.96
<u>50-03-096 (MO)</u>	.125 x 48 x 96	56.96
<u>50-03-132PVC*</u>	.125 x 48 x 96	56.96
<u>50-03-131</u>	.125 x 48 x 120	71.20
<u>50-03-131PVC*</u>	.125 x 48 x 120	71.20
<u>50-03-039 (NC)</u>	.125 x 48 x 144	85.44
<u>51-00-48144</u>	.125 x 48 x 144	85.44
<u>88-00-666</u>	.125 x 60 x 120	89.00
<u>88-00-799</u>	.125 x 60 x 144	106.80
<u>88-00-220 (NC)</u>	.125 x 72 x 144	128.00
<u>50-03-1339</u>	.1875 x 48 x 96	84.28
<u>50-03-1340</u>	.1875 x 48 x 120	106.92
<u>50-03-1360</u>	.1875 x 60 x 120	133.60
<u>50-03-1380</u>	.190 x 60 x 144	162.54
<u>50-03-222</u>	.250 x 48 x 96	114.01
<u>50-3003-48144</u>	.250 x 48 x 144	170.88

PVC Film Application *(4 Mil is suitable for laser & plasma cutting)*

<u>50-00-003</u>	3 Mil PVC Film for 48" Sheet
<u>50-00-002</u>	3 Mil PVC Film for 60" Sheet
<u>50-00-007</u>	4 Mil PVC Film for 48" Sheet
<u>50-00-006</u>	4 Mil PVC Film for 60" Sheet

*PVC One Side

Standards 05



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE; Birmingham, AL; Akron, OH and Van Buren, AR
website: www.EasternMetal.com **e-mail:** info@EasternMetal.com **version:** 11/01/18

Aluminum Sheet & Plate

6061 T6 Mill Finish *Federal Specs QA-250/11*

Stock Code	Size in Inches	Approx Wt/Sheet
50-03-533	.063 x 48 x 144	42.50
50-61-144	.125 x 48 x 144	84.48
50-6061-190	.190 x 48 x 144	128.64
50-61-2504896	.250 x 48.5 x 96.5	114.82
50-6061-250	.250 x 48.5 x 144.5	171.80
50-60-4896	.375 x 48.5 x 96.5	176.62
50-6061-375	.375 x 48.5 x 144.5	257.94
50-61-048	.500 x 48.5 x 96.5	232.00
50-6061-500	.500 x 48.5 x 144.5	343.11

Anodized 5005 (PVC Coating one side)

Exterior Class 1 Anodized Coating

Anodized Thickness: 0.0002 - 0.0003

Stock Code	Anodize	Size in Inches	Approx Wt/Sheet
50-CA-99	Clear	.032 x 48 x 96	14.45
50-CA-100	Clear	.032 x 48 x 120	18.00
50-03-178 (NC)	Clear	.032 x 48 x 120	18.00
50-CL-100P (TX)	Clear	.032 x 48 x 120	18.06
50-ANOD-140 (NC)	Clear	.040 x 48 x 96	17.98
50-03-179 (NC)	Clear	.040 x 48 x 120	22.80
50-CA-105	Clear	.040 x 48 x 120	22.80
50-CA-114	Clear	.063 x 48 x 96	28.44
50-CA-149	Clear	.063 x 48 x 120	35.40
50-CL-115 (NC)	Clear	.063 x 48 x 120	35.40
50-CL-235P (TX)	Clear	.063 x 48 x 120	35.40
50-CA-150	Clear	.063 x 48 x 144	42.70
50-CA-125	Clear	.080 x 48 x 120	45.60
50-BRZ-317 (NC)	Bronze	.040 x 48 x 120	23.00
50-LADB-105	Extra Dark	.040 x 48 x 120	22.80

Stucco Embossed 3003 H14 Sheet

Stock Code	Size in Inches	Approx Wt/Sheet
50-03-320 (NC)	.040 x 48 x 120	22.80
50-03-895 (NC)	.040 x 48 x 144	27.36

Stainless Steel Sheet

(304-2B Cold Rolled Finish)

50-SS-60120	14ga x 60 x 120	153.00
-------------	-----------------	--------

3003 H22/24 Tread Brite

Stock Code	Size in Inches	Approx Wt/Sheet
50-03-520	.063 x 48 x 96	33.31
50-03-220	.063 x 48 x 120	42.80
50-03-199	.063 x 48 x 144	49.75
50-03-250	.080 x 48 x 84	36.17
50-03-252	.080 x 48 x 96	40.50
50-03-251	.080 x 48 x 120	51.668
50-03-195	.080 x 48 x 144	61.30
50-03-203	.100 x 48 x 96	46.03
50-03-194	.100 x 48 x 144	75.08
50-03-201	.100 x 48 x 192	100.97
50-03-198	.125 x 48 x 96	61.46
50-03-196	.125 x 48 x 120	77.36
51-00-193	.125 x 48 x 144	92.19
50-03-197	.125 x 48 x 192	122.91
50-00-198	.125 x 60 x 144	112.80
50-03-210	.125 x 60 x 192	154.73
50-03-578	.190 x 48 x 96	91.24
51-03-193	.190 x 48 x 120	113.048
50-03-577	.190 x 48 x 144	137.50
50-03-193	.190 x 48 x 192	182.48
50-03-224	.190 x 60 x 120	139.17
50-03-226	.190 x 60 x 144	171.07
50-03-230	.250 x 48 x 96	115.19
50-03-231	.250 x 48 x 120	143.99

6061 T6 Tread Plate

50-03-546	.125 x 48 x 96	58.72
50-61-000	.250 x 48 x 96	117.44
50-61-25048TP	.250 x 48 x 192	234.88

3003 H14 Flattened Expanded Aluminum

Stock Code	Size in Inches
50-00-99	.5 x .081 (48 x 96) .052" SWD x 1.27" LWD; Opening Sizes: .312 SWO x 1.00 LWO .060 Strand Thickness x .187 Strand Width 58% Open Area
51-00-100 (TX)	.5 x .081 (48 x 120) .052" SWD x 1.27" LWD; Opening Sizes: .312 SWO x 1.00 LWO .060 Strand Thickness x .187 Strand Width 58% Open Area
51-00-096	.75 x .125 (48 x 96) .923 SWD x 2.13 LWD; Opening Sizes: .625 SWO x 1.75 LWO .095 Strand Thickness x .187 Strand Width 62% Open Area
51-00-096R (TX)	.75 x .125 (48 x 96) .923 SWD x 2.13 LWD; Opening Sizes: .625 SWO x 1.75 LWO .095 Strand Thickness x .187 Strand Width 62% Open Area
51-00-120	.75 x .125 (48 x 120) .923 SWD x 2.13 LWD; Opening Sizes: .625 SWO x 1.75 LWO .095 Strand Thickness x .187 Strand Width 62% Open Area

**For extruded 6061 Mini Plate
See Bar & Rod Section**

Standards 06



EMS FL

1-800-432-2204
(561) 588-4780 - fax

EMS NC

1-800-343-8154
(704) 391-2267 - fax

EMS TX

1-800-996-6061
(281) 656-2297 - fax

EMS MO

1-888-822-6061
(314) 344-3349 - fax

Eastern Metal Supply
Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL

website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 07/12/18

Painted Aluminum Sheet - all items with PVC

FL White = Polar White; NC/TX White = Bright White

Stock Code	Size in Inches	Wt/Sheet
White/White		
50-03-090W	.032 x 48 x 96	14.60
50-03-100W	.032 x 48 x 120	18.25
50-03-103W	.040 x 48 x 96	18.25
50-03-105W	.040 x 48 x 120	23.40
50-03-48144W	.040 x 48 x 144	28.00
50-WH-112 (NC)	.040 x 48 x 144	28.00
50-WH-285P (TX)	.040 x 48 x 144	28.00
50-03-108W	.040 x 60 x 120	28.22
50-WH-236 (TX)	.040 x 60 x 120	28.22
50-WH-109 (NC)	.050 x 48 x 96	23.02
50-WH-109P (TX)	.050 x 48 x 96	23.02
50-03-110W	.050 x 48 x 120	28.51
50-WH-200P (TX)	.050 x 48 x 120	28.51
50-03-406 (MO)	.050 x 48 x 120	28.51
50-WH-699 (NC)	.050 x 48 x 144	33.50
50-03-110W (MO)	.050 x 60 x 120	35.28
50-03-114W	.063 x 48 x 96	29.00
50-WH-245P (TX)	.063 x 48 x 96	29.00
50-03-115W	.063 x 48 x 120	35.93
50-03-121W	.063 x 60 x 120	44.40
50-WH-124	.080 x 48 x 96	36.48
50-WH-279P (TX)	.080 x 48 x 96	36.48
50-03-125W	.080 x 48 x 120	46.00
50-WH-125P (TX)	.080 x 48 x 120	46.00
Bronze/White		
50-03-100B	.032 x 48 x 120	18.25
50-03-105B	.040 x 48 x 120	23.40
50-BW-105P (TX)	.040 x 48 x 120	23.40
50-BW-235P (TX)	.063 x 48 x 120	35.93
Red/White		
50-03-105R	.040 x 48 x 120	23.40
50-RED-240 (NC)	.040 x 48 x 120	23.40
50-RWH-105 (TX)	.040 x 48 x 120	23.40
Yellow/White		
50-YEL-105 (NC)	.040 x 48 x 120	22.58
Gloss Black/Gloss White		
50-BL-298 (NC)	.040 x 48 x 96	18.43
50-03-105BK	.040 x 48 x 120	23.40
50-GBW-105P (TX)	.040 x 48 x 120	23.40
50-GBW-245P (TX)	.063 x 48 x 96	29.00
50-03-115BK	.063 x 48 x 120	35.93
50-BGW-235P	.063 x 48 x 120	35.93
Matte Black/Matte White		
50-BLK-303	.040 x 48 x 120	23.40
50-BKW-245P (TX)	.063 x 48 x 96	29.00
50-BKW-235P (TX)	.063 x 48 x 120	35.93
Matte Black/Gloss White		
50-BLK-303 (NC)	.040 x 48 x 120	23.40
Gloss Black/Gloss Black		
50-03-428	.040 x 48 x 120	23.40



Aluminum Composite Material (ACM)

Channel Letter Coil

PVC Mask One Side Coil In Stock (20" ID Coil)

Stock Code	Size in Inches
WHITE/WHITE	
49-WH-004	.040 x 5.50 (5.3") x 270'
BRONZE/WHITE	
49-DB-004	.040 x 5.50 (5.3") x 270'
RED/WHITE	
49-RD-004	.040 x 5.50 (5.3") x 270'
BLACK/WHITE	
49-BK-004	.040 x 5.50 (5.3") x 270'
49-BK-625**CLOSEOUT**	.040 x 5.50 (5.3") x 625'
MATTE BLACK/GLOSSWHITE	
49-MATBLK-004	.040 x 5.50 (5.3") x 270'
MATTE BLACK/MATTE BLACK	
49-MBK-001	.040 x 5.50 (5.3") x 270'
BRIGHT BRUSHED CLEAR	
50-CL-742C (NC)	.040 x 5.50 (5.3") x 270'
MILL FINISH (No PVC Mask)	
49-MF-007 (TX)	.063 x 2.00 x 270'
49-MF-005 (TX)	.063 x 3.00 x 270'
49-MF-006 (TX)	.063 x 3.50 x 270'
49-MF-008 (TX)	.063 x 4.00 x 270'
49-MF-009 (TX)	.063 x 6.00 x 270'

Aluminum Composite Material (ACM)

EMS UL Panels (.008 Skin Thickness; 55° Gloss)

	Size	Color
50-WW-396	3mm x 4' x 8'	Matte White/Matte White
50-BB-396	3mm x 4' x 8'	Matte Black/Matte Black
50-WP-396	3mm x 4' x 8'	Matte White One Side
50-WBW-396	3mm x 4' x 8'	Matte White/Bright White
50-WW-3120	3mm x 4' x 10'	Matte White/Matte White
50-WW-360120	3mm x 5' x 10'	Matte White/Matte White
50-WW-696	6mm x 4' x 8'	Matte White/Matte White
50-WW-6120	6mm x 4' x 10'	Matte White/Matte White

ECM Panels - Non-UL (.007 Skin Thickness)

Bright White 90-95° Gloss; Black 50° Gloss)

50-ACP-200 (TX)	3mm x 4' x 8'	Bright White/Bright White
50-ACP-205 (TX)	3mm x 4' x 8'	Black/Black
50-ACP-210 (TX)	3mm x 4' x 8'	Bright White One Side
50-ACP-215 (TX)	3mm x 4' x 10'	Bright White/Bright White
50-ACP-225 (TX)	3mm x 5' x 10'	Bright White/Bright White

PolyMetal - UL Listed (.008 Skin Thickness; 55° Gloss)

50-PM-100	3mm x 4' x 8'	White/White
50-PM-105	3mm x 4' x 8'	Black/Black
50-PM-110	3mm x 4' x 8'	White One Side
50-PM-115	3mm x 4' x 10'	White/White
50-PM-120	3mm x 4' x 10'	Black/Black
50-PM-125	3mm x 5' x 10'	White/White
50-PM-130	6mm x 4' x 8'	White/White
50-PM-135	6mm x 4' x 8'	Black/Black
50-PM-140	6mm x 4' x 10'	White/White

ValuMetal - Non-UL (.004 Skin Thickness; 55° Gloss)

50-VM-100	3mm x 4' x 8'	White/White
-----------	---------------	-------------

Standards 07



Eastern Metal Supply

Quality Shapes In Aluminum

EMS FL

1-800-432-2204

(561) 588-4780 - fax

EMS NC

1-800-343-8154

(704) 391-2267 - fax

EMS TX

1-800-996-6061

(281) 656-2297 - fax

EMS MO

1-888-822-6061

(314) 344-3349 - fax

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL

website: www.EasternMetal.com

e-mail: info@EasternMetal.com


version: 09/25/18

*These are printed representations. Actual colors may vary. If an exact color is required, contact your EMS sales representative.

IN STOCK COLORS: See Standards p 07 for sizes & product codes



POLAR WHITE
(FL/MO)



SUPER BRITE
WHITE (NC/TX)



BRONZE



RED



YELLOW



BLACK (GLOSS)




MATTE BLACK

Additional Colors: SPECIAL ORDER

Please contact your EMS sales representative for more information.



Ivory



Exxon Sandstone



Mocha Tan



Conoco Khaki



Citgo White



Chevron White



Exxon Red



Texaco Red



Construction Orange



Burgundy



Purple



Pepsi Blue



Chevron Blue



Sunoco Blue



Heron Blue



Extreme Green



BP Green



Ivy Green



Super Bright White



Medium Bronze



Brown



Bone White Fluoropon



Bronze Fluoropon



Black Fluoropon




Matte White



Light Gray



Dark Bronze Anodized



LA ExtraDark Bronze Anodized



Black Anodized



Clear Satin



Mill Finish



Shell Gray



Bright Gold



Bright Brushed Gold



Gold Satin



Bright Clear

Aluminum Sheet & Plate

5052 H38 Alodine Pretreated Sheet

<u>Stock Code</u>	<u>Size in Inches</u>	<u>Approx. Wt/Sheet</u>
50-06-106	.080 x 30 x 96	22.57
50-06-107	.080 x 30 x 120	28.22
50-06-108	.080 x 30 x 144	33.86
50-06-109	.080 x 36 x 96	27.09
50-06-110	.080 x 36 x 120	33.86
50-06-111	.080 x 36 x 144	40.64
50-06-112A	.080 x 48 x 96	36.13
50-06-114	.080 x 48 x 144	53.51
50-06-115	.125 x 30 x 96	35.28
50-06-116	.125 x 30 x 120	44.10
50-06-117	.125 x 30 x 144	52.92
50-06-118	.125 x 36 x 96	41.65
50-06-119	.125 x 36 x 120	52.07
50-06-120	.125 x 36 x 144	62.48
50-06-121	.125 x 48 x 96	56.44
50-06-122	.125 x 48 x 120	70.56
50-06-123	.125 x 48 x 144	84.67


Contact your EMS Sales Representative for SPECIAL ORDER Sign Blanks
**See Tubes & D.O.T. Tab (Standards pp 17-20) for additional items*

*Items marked as MILL ORDER are non stock but available.
 Product codes listed on MILL ORDER items are for die reference only. Customer must specify length, alloy & temper.*

D.O.T. Signage


12" x 2" Sign Panel

MILL ORDER EMSW14792 Heavy
 MILL ORDER EMSW14794 Medium
 MILL ORDER EMSW14793 Light




6" x 2" Half Sign Panel

MILL ORDER EMSW14795




3" x 2.5" Wind Beam

MILL ORDER EMSW14796




6" Extruded Street Name Blade x 12' 1"

66-33-111 (TX)




6.75" Extruded Street Name Blade

MILL ORDER 66-33-112 (TX)



9" Extruded Street Name Blade x 12' 1"

66-33-110 (TX)



Standards 08



EMS FL

1-800-432-2204
 (561) 588-4780 - fax

EMS NC

1-800-343-8154
 (704) 391-2267 - fax

EMS TX

1-800-996-6061
 (281) 656-2297 - fax

EMS MO

1-888-822-6061
 (314) 344-3349 - fax

Eastern Metal Supply

Quality Shapes In Aluminum

Additional Locations: West Palm Beach & Lakeland, FL; Newark, DE and Birmingham, AL

website: www.EasternMetal.com

e-mail: info@EasternMetal.com

version: 08/17/16